

RANDAL SOLUCIONES SAC
RUC: 20456235566

COTIZACION
A-01253

Atendiendo su amable solicitud estamos enviando cotización de los productos requeridos, para nosotros es un placer poner nuestra compañía a su servicio.

TELE	RPC / RPM		FECHA	CIUDAD
FONO				
01-73907	959354677 - #999033365		31-mar-2016	LIMA
				T. PAGO
				CONTADO

ITEM	DESCRIPCION	CANTIDAD	UNIDAD	VR. UNITARIO	VR. TOTAL
1	FOTOCOPIADORA bizhub 185	1	UNIDAD	S/. 3.165	S/. 3.165
				GRAN TOTAL	S/. 3.165
				VALOR TOTAL	S/. 3.165

ATENTAMENTE
Roberto Zanabria
RPM # 988940015 RPC: 952700783

CONDICION DE COMPRA

- Los Precios están expresados en Moneda Soles
- Validez de la Propuesta: 30 días o hasta agotar stock"

GARANTIA DEL PRODUCTO

- GARANTIA DE 1 AÑOS

FORMA DE PAGO**PLAZO DE ENTREGA**

- Entrega Inmediata o dentro de 24 a 48 horas

FORMAS DE PAGO

- EN CASO DE ENTIDADES PUBLICAS EL PAGO ES DESPUES DE LA ADQUISICION EN LOS ALMACENES DE LA INSTITUCION

- EN CASO DE EMPRESA PRIVADA

Opcion1: (Envio courier gratis): previo depósito de la totalidad a las cuentas del banco (envio gratis) a la cuenta corriente bcp soles

Opcion2: (Entrega en nuestras oficinas):

Solicitar la direccion mas cercana a su residencia al rpm #999033365 rpc: 959354677, estamos ubicados en lima (Distritos de surco, javier prado y wilson) , arequipa, trujillo, otros departamentos

Opcion3: Para Entidades del Estado : Pago despues de la Entrega"

DIRECCIONES**LIMA**

Dirección1: Av. Garcilazo de la Vega 1348 Ciber Plaza - Cercado de Lima

Dirección2: Los Negocios 449 Surquillo - Lima

Dirección3: Calle Raúl Rebagliati 171 - Urb. Santa Catalina La Victoria Lima 13 - Peru..

AREQUIPA

Calle Rivero 107 oficina 302g

CUENTAS DEL BANCO

Cuenta Corriente BCP Soles: RANDAL SOLUCIONES S.A.C

215-2082877-0-76

Cuenta Corriente BCP DOLARES : RANDAL SOLUCIONES S.A.C

215-2224426-1-75

Cuenta Corriente SOLES CONTINENTAL : RANDAL SOLUCIONES S.A.C

0011-0220-0201351592"

TELEFONOS Y RAZON SOCIAL

TELF. LIMA: 01-7390711 TELF. PROVINCIAS : 054-790792

RPM #988940015 RPC: 952700783

RAZON SOCIAL

Razón Social: RANDAL SOLUCIONES SAC

RUC: 20456235566

bizhub 185

- ✓ Black & white A3 multifunctional
- ✓ Up to 18 pages per minute

Functionality



Giving Shape to Ideas

Technology

EMPEROR	SIMITR® HD TONER	IWS	OPEN API	ID/PTION	CSRC
X	✓	X	X	X	X

Option diagram



bizhub 185

Descriptions

bizhub 185	A3 monochrome copier equipped with standard GDI printing and TWIN scanning functions; copy/print speed up to 18 pages per minute; standard paper capacity of 350 sheets (incl. 100 sheets from multi bypass tray); paper sizes A5 to A3 and paper weight 64 to 157 gsm.
SX-DS-3000U1	Network functionality
USB device server	
EH-C591	Convenient stapling of up to 50 sheets per set
Convenience stapler	

Technical specifications

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy
Toner system	Simitri® HD polymerised toner
Copy/print speed A4 (mono/colour)	Up to 18 ppm
Copy/print speed A3 (mono/colour)	Up to 9.1 ppm
1st copy out time	8 sec. or less
Warm-up time	Approx. 29 sec. ¹
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–99
Original format	Max.: A3
Magnification	50–200% in 1% steps
Copy functions	2in1; 4in1; density adjustment; sort/group; ID card copy

¹ Warm up time may vary depending on the operating environment and usage

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi
Controller CPU	120 MHz
Page description language	GDI; XPS
Operating systems	Windows XP (32/64 Bit) Windows VISTA (32/64 Bit) Windows 7 (32/64 Bit) Windows 8 (32/64 Bit) Windows Server 2003/ 2008 (32/64 Bit), 2008 R2 (64 Bit)
Print functions	Watermark; n-up

SCANNER SPECIFICATIONS

Scan resolution	Max.: 600 x 600 dpi
Scan modes	TWIN & WIA scan

SYSTEM SPECIFICATIONS

System memory	32 MB
Interface	USB 2.0
Printable paper size	A5–A3; customised paper sizes
Printable paper weight	64–157 gsm
Paper input capacity	Standard: 350 sheets
Tray 1	250 sheets; A5–A3; custom (90–297 x 140–432 mm); 64–157 gsm
Manual bypass	100 sheets; A5–A3; custom (90–297 x 140–432 mm); 64–157 gsm
Output capacity (with finisher)	Max.: 250 sheets
Copy/print volume (monthly)	Average: 2,200 pages Max.: 12,000 pages
Toner lifetime	Up to 11,000 pages
Imaging unit lifetime	Up to 55,000 pages
Power consumption	220–240 V / 50/60 Hz; max. 800 W; operating: 300 W; standby: 70 W; sleep mode: 1.7 W
System dimensions (W x D x H)	606 x 531 x 449
System weight	Approx. 25.2 kg

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.