


INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357

COT.
A-01255

SRES :

TEL	RPC / RPM	FECHA	CIUDAD
-	959354677 - #999033365	07-abr-2017	-
			T. PAGO
			-

ITEM	DESCRIPCION	CANTIDAD	UNID	PRECIO.UNIT	TOTAL	
1	Impresora HP DesignJet T2500	1	UNID	\$7,900	\$7,900	
	Line drawings(3 70 sec/page on A1/D, 40 A1/D prints per hour Color images(4 Fast: 22.4 m2 /hr (241 ft2 /hr) on coated media Best: 2.3 m2 /hr (25 ft2 /hr) on glossy media Print resolution Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi and Optimization For Photo Paper selected					
						
					TOTAL	\$7,900
					VALOR TOTAL	\$7,900

ATENTAMENTE
Percy Guerrero
RPM # 999033365 RPC: 959354677

CONDICION DE COMPRA

- Los Precios están expresados en Moneda Soles
- Validez de la Propuesta: 30 días o hasta agotar stock"

GARANTIA DEL PRODUCTO

- GARANTIA DE 2 AÑOS

FORMA DE PAGO

PLAZO DE ENTREGA

- Entrega Inmediata o dentro de 24 a 48 horas

FORMAS DE PAGO

- EN CASO DE ENTIDADES PUBLICAS EL PAGO ES DESPUES DE LA ADQUISICION EN LOS ALMACENES DE LA INSTITUCION

-EN CASO DE EMPRESA PRIVADA

Opcion1: (Envío courier gratis): previo depósito de la totalidad a las cuentas del banco (envío gratis) a la cuenta corriente bcp soles

Opcion2: (Entrega en nuestras oficinas):

Solicitar la direccion mas cercana a su residencia al rpm #999033365 rpc: 959354677, estamos ubicados en - (Distritos de surco, javier prado y wilson) , arequipa, trujillo, otros departamentos

Opcion3: Para Entidades del Estado : Pago despues de la Entrega"

DIRECCIONES

-

Dirección Principal : Av Manuel Olguin 335 - Santiago de Surco

-

Direcciones en Arequipa -Trujillo -Chiclayo -Tacna -Cusco -Moquegua -Cajamrca -Ica -Piura -Tumbes -Loreto

AREQUIPA

Calle Rivero 107 oficina 302g

CUENTAS DEL BANCO

Cuenta Corriente BCP Soles: INTEGRASAT SOLUCIONES CENTER S.R.L

215-2050250-0-12

Cuenta Corriente BCP DOLARES : INTEGRASAT SOLUCIONES CENTER S.R.L

215-2131402-1-39

-

-"

TELEFONOS Y RAZON SOCIAL

TELF. -: - TELF. PROVINCIAS : 054-696980

RPM #999033365 RPC: 959354677

RAZON SOCIAL

Razón Social: INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357



HP Designjet T2500 eMultifunction Printer series

Newly designed, two-roll, web-connected ePrinter with scan and copy capabilities



Innovative user experience

- Eliminate the output clutter—get flat, collated prints thanks to the integrated output stacking tray
- Gain full control—monitor media rolls, view printer status on the touchscreen, and track jobs during printing
- Load two paper rolls effortlessly—even when seated—with front loading and automatic paper-roll alignment
- Print up to A0/E with a compact, integrated 36-inch multifunction printer that prints, scans, and copies

Print, scan, and copy with a single device

- Speed up your workflow—easily scan and e-mail sketches and hand-annotated drawings directly to your partners¹
- Instantly share and manage content—scan to your network folder, FTP, USB drive, or directly to the cloud
- Increase uptime—print multiple jobs on a variety of media types and sizes with two rolls and smart switching
- Create A1/D-size prints in 21 seconds—Original HP inks deliver dark blacks and true neutral grays



1. With Aurasma installed, please go to the HP Designjet channel at <http://auras.ma/s/ke25m>
2. Without Aurasma installed, please download it:
 - a. Google Play - <http://auras.ma/s/android>
 - b. Apple Store - <http://auras.ma/s/ios>Once done, go to the HP Designjet channel at <http://auras.ma/s/ke25m>
3. Open the application and point to the image to view the HP Designjet video

Print from virtually anywhere¹

- Use your Apple® or Android™ smartphone or tablet to print from virtually anywhere¹
- Access and print projects from the cloud when you're out of the office, using HP Designjet ePrint & Share¹
- Automatically save your work to the cloud when you print and scan with HP Designjet ePrint & Share¹.
- Print and scan without drivers using a USB stick and directly email¹ projects to your T2500 eMFP^{1,2}

Eco Highlights

- Help save paper with automatic print settings and image nesting
- Less ink wasted due to efficient installation and maintenance routines
- Free, convenient HP ink cartridge and printhead recycling³
- Works with FSC®- and PEFC™-certified HP papers⁴

¹ Program availability varies. Please check hp.com/evolve for details.
² FSC® trademark license code FSC-C01759E, www.fsc.org PEFC™ trademark license code PEFC-COC-129-31-198, www.pefc.org. Not all FSC®- or PEFC™-certified products are available in all regions.



Please recycle large-format printing hardware and printing supplies.
Find out how at our website
hp.com/evolutions

¹ Requires an HP Designjet ePrint & Share account, Internet connection to the printer, and connected Internet-capable device. When using the HP Designjet ePrint & Share mobile app, a compatible Apple® iOS or Android™ device and Internet connection are required. Data or connection charges may apply. Print times may vary. For more information, visit hp.com/go/evolveandshare.

² Scanning of PDF files only available with HP Designjet T2500 PostScript® eMultifunction Printer.

³ Only files in TIF, JPEG and PDF format can be e-mailed with a size limit of 10 MB.

Technical specifications

Print	Line drawings ¹	21 sec/page on A1/D, 120 A1/D prints per hour on Draft mode
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins (top x bottom x left x right)	Std: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) (borderless on photo roll media) Sheet: 5 x 22 x 5 x 5 mm (0.2 x 0.87 x 0.2 x 0.2 in)
	Technology	HP Thermal Inkjet
	Ink types	Dye-based (C, M, Y), pigment-based (BK)
	Ink drop	6 pf (L, M, Y, G, PK); 9 pf (BK)
	Overheads	7 (C, M, Y), 6 (BK)
	Line accuracy	+/- 0.1%
	Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 15663:2001/EIP)
Media	Handling	Input: two automatic front-loading roll feeds, smart roll watching, sheet feed Output: integrated output stacking tray (from A6/A to A0/E, with up to 50 A1/D-size capacity), media bin, automatic cutter Scanner: straight-through scan paper path for sheet and cardboard originals
	Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1210 mm (8.3 x 11 to 36 x 48 in) Standard sheets: A4, A3, A2, A1, A0/A, B, C, D, E
	Thickness	Up to 0.5 mm (0.0197 in)
Scan	Scan speed	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)
	Scan/copy resolution	Up to 600 dpi
	Maximum scan	Size: 914 x 6000 mm (36 x 236 in) (PDF) 914 x 5000 mm (36 x 197 in) (PDF) 810 x 15,000 mm (24 x 590.5 in) (TIFF) Thickness: 0.8 mm (0.03 in)
Copy	Reduce/enlarge	25 to 400%
	Maximum copies	Up to 99 copies
	Copy settings	Copy quality, copy reduce roll, content type, original paper type, background removal, contrast, de-slow, blueprints support
Memory	128 GB (virtual) ²	320 GB hard disk
Connectivity³	Interfaces (standard)	Serial Ethernet (1000 Base-T)
	Print languages	Basic eMultifunction Printer: HP-GL/2, HP-RTL, TFF, iPEL, CALS G4, HP PCL 3 GUI, URF PostScript® eMultifunction Printer: Adobe PostScript 3, Adobe PCL 1.7 Extension Level 3, HP-GL/2, HP-RTL, TFF, iPEL, CALS G4, HP PCL 3 GUI, URF
	Printing paths	Printer driver, HP DesignJet ePrint & Share, HP Embedded Web Server, HP Instant Printing, direct printing from USB flash drive, email printing
	Drivers (included)	HP-GL/2, HP-RTL, drivers for Windows® (AutoCAD® optimized), HP PCL 3 GUI driver for Mac OS X, PostScript Windows, Linux, and Mac drivers ⁴
Dimensions (w x d x h)	Printer	1199 x 916 x 1110 mm (55.1 x 36.1 x 43.7 in)
	Shipping	1302 x 750 x 825 mm (51.3 x 29.9 x 32.5 in)
Weight	Printer	11.2 kg (24.5 lb)
	Shipping	13.15 kg (29.03 lb)
What's in the box	HP DesignJet T2500 eMultifunction Printer, printhead, introductory ink cartridges, stacking tray, printer stand and media bin, spindles, quick reference guide, setup poster, startup software, power cord.	
Environmental ranges	Operating temperature	5 to 40°C (41 to 104°F)
	Storage temperature	-25 to 55°C (-13 to 131°F)
	Operating humidity	20 to 80% RH
Acoustic	Sound power (v. 41 dBA) (printing)	30 dBA (ready), 16 dBA (sleep)
	Sound power (v. 5.5 BIA) (printing)	5.8 BIA (ready), 1.9 BIA (sleep)
Power consumption	Power (v. 120 watts) (printing)	+260 watts (maximum), +4 watts (v. 7 watts with embedded Digital Front End) (sleep), 0.1 watts (auto-off), 0 watts (off hardware)
	Input voltage (auto ranging)	100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 4.2 A max (peak current)
Certification	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Mexico (CST), Singapore (PSB), China (CCC), Argentina (SIRAM), Mexico (NOM), Korea (KATS)
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product, Korea (KC)
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH, PEMP, EPEAT Bronze
Warranty	One-year limited hardware warranty	

Ordering information

Product	CR358A	HP DesignJet T2500 36-in eMultifunction Printer
	CR359A	HP DesignJet T2500 36-in PostScript® eMultifunction Printer
Accessories	CNS38A	HP DesignJet 3-in Core Adapter
	COE65A	HP DesignJet T500/Tx500 36-in Spindle
Original HP printhead	BSP05A	HP T27 DesignJet Printhead
Original HP ink cartridges	BSP17A	HP T27 40-ml Photo Black DesignJet Ink Cartridge
	BSP13A	HP T27 40-ml Cyan DesignJet Ink Cartridge
	BSP14A	HP T27 40-ml Magenta DesignJet Ink Cartridge
	BSP15A	HP T27 40-ml Yellow DesignJet Ink Cartridge
	BSP18A	HP T27 40-ml Gray DesignJet Ink Cartridge
	C1011A	HP T27 60-ml Matte Black DesignJet Ink Cartridge
	B3P23A	HP T27 130-ml Photo Black DesignJet Ink Cartridge
	B3P19A	HP T27 130-ml Cyan DesignJet Ink Cartridge
	B3P20A	HP T27 130-ml Magenta DesignJet Ink Cartridge
	B3P21A	HP T27 130-ml Yellow DesignJet Ink Cartridge
	B3P24A	HP T27 130-ml Gray DesignJet Ink Cartridge
	B3P22A	HP T27 130-ml Matte Black DesignJet Ink Cartridge ⁵
	C1012A	HP T27 300-ml Matte Black DesignJet Ink Cartridge
Original HP large format printing materials	C1881A	HP Bright White Inkjet Paper (FSC® certified) ⁶ 914 mm x 40.7 m (36 in x 130 ft)
	C6020B	HP Coated Paper (PEFC™ certified) ⁷ 914 mm x 45.7 m (36 in x 150 ft)
	C6020C	HP Heavyweight Coated Paper (PEFC™ certified) ⁷ 914 mm x 30.5 m (36 in x 100 ft)
	Q1421A	HP Universal Satin Photo Paper 914 mm x 30.5 m (36 in x 100 ft)
Service and support	U00M9E	HP 3-year Next Business Day Onsite Support
	U00M3E	HP 3-year 4-hour response, 8x5 Onsite Support
	U00M4E	HP 3-year 4-hour response, 13x5 Onsite Support
	U00M7E	HP 3-year Next Business Day Onsite Support with Defective Media Return
	U00M9PE	HP 1-year Post Warranty Next Business Day Onsite Support
	U00M4PE	HP 1-year Post Warranty Next Business Day Onsite Support with Defective Media Return
	U00M3PE	HP 1-year Post Warranty 4-hour response, 13x5 Onsite Support

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as variety of value added services. For more information, please visit hp.com/go/designjetsupport.

Use Original HP inks and printheads to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks and true neutral grays. For more information, visit hp.com/go/OriginalHPInks.

For the entire HP Large Format Printing Materials portfolio, please see globalBMG.com/hp.

¹ Mechanical printing time. Printed in Fast mode, using HP Bright White Inkjet Paper (Bored) and Original HP ink.
² +/- 0.1% of the specified sector length or +/- 0.2 mm (whichever greater) at 23°C (73°F), 50-80% relative humidity, on A0/E Matte Film in Best or Normal mode with Original HP ink.
³ Measured on HP Matte Film.
⁴ Based on 1.5 GB RAM.
⁵ Includes an embedded inkjet print sensor.
⁶ Included with PostScript® printers only.
⁷ Available only in Europe, Middle East, and Africa.
⁸ FSC® trademark license code FSC®-C011543, see www.fsc.org. PEFC™ trademark license code PEFC™/29-31-198, see www.pefc.org. Not all FSC® or PEFC™ certified products are available in all regions.
⁹ Can be recycled through commonly available recycling programs.



For more information, please visit hp.com/go/DesignJetT2500

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.
 Adobe and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows is a U.S. registered trademark of Microsoft Corporation. PANTONE is the property of Pantone, Inc. Apple is a trademark of Apple Computer, Inc., registered in the U.S. and other countries.



