



Equipos, partes y accesorios de tecnología informática y servicios de soporte técnico

Cotización No. 001 - 161

NIT	CLIENTE	CONTACTO	FECHA	CIUDAD
			20/09/2016	
TELÉFONO	DIRECCIÓN	EMAIL	DESCUENTO	FORMA DE PAGO

Atendiendo a su amable solicitud, enviamos la cotización de los productos solicitados por su organización:

ITEM	CÓDIGO	DESCRIPCIÓN	CANTIDAD	VR. UNITARIO	VR. TOTAL
1		PROYECTOR MULTIMEDIA EPSON POWERLITE 1771	1	S/. 4,491.53	S/. 4,491.53
2					
3					
4					
5					
6					
Opciones de Pago:				SUBTOTAL	S/. 4,491.53
				IGV	S/. 808.47
				TOTAL A PAGAR	S/. 5,300.00

Codiciones y validez de la oferta:

30 dias

Validez:

Condiciones de entrega:

Entrega Inmediata

Condiciones de Garantía:

garantia de 1 año

Esperamos haber dado alcance a sus requerimientos

Cordialmente,

RICARDO TALAVERA

RPM: #999033365 RPC:959354677

DIRECCIONES

- Direccion: -Lima: Av Nicolas Arriola 265 Of. 201 (referencia: a 1 cuadra de Cruz del Sur de Javier Prado)

- Calle Rivero 107 of 302. Cercado - Arequipa

También estamos en:

Trujillo Puno Cajamarca - Piura -Tumbes - Ica - Chiclayo - Ayacucho- Tacna - Cusco

CUENTAS BANCARIAS :

INTEGRASAT SOLUCIONES CENTER SRL , RUC : 20455256357

Cuenta Corriente BCP Soles

215-2050250-0-12

Código interbancario: CCI: 00221500205025001225

Cuenta Corriente BCP DOLARES

215-2295979-1-31

Código interbancario: CCI 00221500229597913124

ESPECIFICACIONES TECNICAS

EPSON
EXCEED YOUR VISION

PowerLite® 1771W Multimedia Projector



The Slim Ultraportable with Ultra-Bright, Widescreen Performance.

- Lightweight and travel friendly — thin as a laptop; weighs just 3.7 lb
- Ultra-bright widescreen performance — 3000 lumens color/white light output;¹ native WXGA (1280 x 800) resolution (16:10)
- Flexible connectivity — USB Plug 'n Play — Windows® and Mac® compatible; HDMI input
- Wireless capable — with wireless LAN module and optional Quick Connect wireless USB key

Product Setup Sheet

ESPECIFICACIONES TECNICAS


DELTOC

EPSON®
EXCEED YOUR VISION

PowerLite® 1771W

Multimedia Projector

Product Name	Product Code	UPC
PowerLite 1771W	V11H477020	0 10343 90021 9
Genuine EPSON® Lamp	V13H010L65	0 10343 88054 2
Replacement Air Filter	V13H134A31	0 10343 88053 5



Specifications

Projection System
EPSON 3LCD, 3-chip technology

Projection Method
Front/rear/ceiling mount

Driving Method
EPSON Poly-silicon TFT Active Matrix

Pixel Number
1,024,000 dots x 3 (1280 x 800) LCDs

Color Light Output¹
3000 lumens

White Light Output¹
3000 lumens (ISO 21118 standard)

Aspect Ratio
16:10 (supports 4:3 and 16:9)

Native Resolution
1280 x 800 (WXGA)

Resize
640 x 480 (VGA), 800 x 600 (SVGA),
1024 x 768 (XGA), 1280 x 1024 (SXGA),
1400 x 1050 (SXGA+), 1440 x 900 (WXGA+),
1680 x 1050 (WSXGA+), 1600 x 1200 (UXGA)

Lamp Type
230 W UHE

Lamp Life²
4000 hours (Normal Mode)
5000 hours (ECO Mode)

Throw Ratio Range
1.04 – 1.26

Size (projected distance)
30" – 300" 16:10 (2.2' – 26.8')

Keystone Correction
Automatic vertical: ± 30 degrees (± 45 manual)
Manual horizontal: ± 30 degrees manual

Contrast Ratio
Up to 2000:1

Color Reproduction
16.77 million colors

Plug 'n Play
Projector is compatible with PC and Mac computers

Projection Lens

Type
Manual focus/Manual zoom

F-number
1.58 – 1.7

Focal Length
13.52 – 16.22 mm

Zoom Ratio
Optical zoom 1.0 – 1.2

Other

Display Performance
NTSC: 480 line
PAL: 576 line
(depends on observation of the multi-burst pattern)

Input Signal
NTSC/NTSC4.43/PAL/M-PAL/N-PAL/
PAL60/SECAM SDTV/HDTV

Interfaces
Computer/component video:
Mini D-sub HD 15 pin x 1
Composite video: RCA x 1
Audio in: Mini stereo x 1
USB Type B x 1 (USB display with audio and mouse/keyboard control)
USB Type A x 1 (for USB memory device)
HDMI

Wireless port 802.11 b/g/n

Audio Output
1 W mono speaker

Audio Signal
500mV rms/47K ohm

Operating Temperature
41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage
100 – 240 V ± 10%, 50/60 Hz AC

Power Consumption
322 W (Normal Mode)
212 W (ECO Mode)
7.4 W Standby (Communication On)
0.38 W Standby (Communication Off)

Fan Noise
40 dB (Normal Mode)
30 dB (ECO Mode)

Security
 Kensington®-style lock provision

Dimensions (W x D x H)

Including feet: 11.5" x 8.3" x 2.1"
Excluding feet: 11.5" x 8.3" x 1.7"
Weight: 3.7 lb

Remote Control

Features
Power, source search selection, computer, video, A/V mute, freeze, user ID, auto, aspect, color mode, num, page up and down, E-zoom, volume, help, menu, enter, esc and pointer functions

Operating Angle

Right/left:
Front: ± 60 degrees
Rear: ± 30 degrees

Support

Upper/lower:
Front: ± 30 degrees
Rear: ± 30 degrees

Operating Distance
19.7 ft

Support

The EPSON ConnectionSM
Pre-sales support
U.S. and Canada 800-463-7766
Internet website www.epson.com

Service Programs
Two-year limited warranty, EPSON Road Service program, PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty

What's In The Box

PowerLite 1771W projector, power cable, computer cable (VGA), projector remote control with batteries, USB cable, soft carrying case, user manual CD, EasyMP® software CD, wireless LAN module, Quick Setup Sheet, PrivateLine support card, registration card, password protection sticker and security screw

Accessory Part Numbers

Genuine EPSON lamp	V13H010L65
Replacement air filter	V13H134A31
Image presentation camera (ELPDC06)	V12H321005
DC-10S document camera	ELPDC10S
DC-11 document camera (ELPDC11)	V12H377020
Replacement wireless LAN module	V12H418P12
Quick Connect wireless USB key	V12H005M08
Component to VGA video cable	ELPKC19
Duet™ portable screen	ELPSC80
ES3000 portable screen	V12H002S3Y
Replacement remote control	1507996

Packaging Specifications

PowerLite 1771W
Dimensions 11.2" x 17.1" x 4.8" (W x D x H)
Weight 8.1 lb

Genuine EPSON Lamp
Dimensions 5.1" x 5.5" x 5.6" (W x D x H)
Weight 0.6 lb
Master Carton
Dimensions 11.5" x 26.1" x 6.8" (W x D x H)
Weight 7.2 lb
Units Per Master Carton 10

Replacement Air Filter
Dimensions 3.5" x 4.8" x 1.9" (W x D x H)
Weight 0.1 lb
Master Carton
Dimensions 7.3" x 10.1" x 5.7" (W x D x H)
Weight 1.4 lb
Units Per Master Carton 10

ESPECIFICACIONES TECNICAS

DELTOC

Proyector Multimedia

Epson PowerLite® 1776W/1771W/1761W/1751

Los proyectores más vendidos en el mundo


Epson ofrece una variedad de proyectores de alta calidad para cualquier tipo de necesidad. Estos proyectores son creados para otorgar la más alta calidad de imagen, excelente rendimiento y amplia durabilidad.



El proyector completo y verdaderamente móvil

Tecnología 3LCD que permite obtener una calidad y colores increíbles

- 3 chips para un color vibrante y continuo
- 25% menos de energía requerida por lumen de brillo cuando se compara con los proyectores DLP de 1 chip
- Confiabilidad comprobada por Epson, una compañía con más de 20 años de experiencia



Alta luminosidad

Salida de luz en color de 3,000 lúmenes para los 1776W/1771W y de 2600 lúmenes para los 1761W/1751 y salida de luz en blanco de hasta 3,000 lúmenes para los 1776W/1771W y de 2600 lúmenes para los 1761W/1751 para disfrutar de imágenes en presentaciones o video con la mejor calidad, nitidez y brillo.



Corrección trapezoidal horizontal/vertical automática

Solo necesitas encender el proyector y apuntarlo a la pantalla o pared y el proyector corregirá automáticamente la imagen en pocos segundos. El enfoque se ajusta también automáticamente al mismo tiempo para permitirte completar rápidamente la configuración.



Lámpara que ahorra energía, exclusivamente de Epson

- Entrega más lúmenes por vatio y dura hasta 4000 horas
- Minimiza tanto la difracción de la luz como la filtración de luz

Better Products for a Better Future™

Para mayor información sobre los programas ambientales de Epson, visita www.latin.epson.com/medioambiente

Adaptación a la pantalla (solo 1776W)

Cuando la imagen se extienda fuera del marco de la pantalla o pizarra interactiva solo necesitarás presionar el botón de ajuste del tamaño de pantalla y la imagen se adaptará automáticamente a los bordes de la pantalla. El enfoque obviamente también se corregirá automáticamente.

