



Equipos, partes y accesorios de tecnología informática y servicios de soporte técnico

Cotización No. 001 - 162

NIT	CLIENTE	CONTACTO	FECHA	CIUDAD
			20/09/2016	
TELÉFONO	DIRECCIÓN	EMAIL	DESCUENTO	FORMA DE PAGO

Atendiendo a su amable solicitud, enviamos la cotización de los productos solicitados por su organización:

ITEM	CÓDIGO	DESCRIPCIÓN	CANTIDAD	VR. UNITARIO	VR. TOTAL
1		PROYECTOR MULTIMEDIA EPSON POWERLITE 965H	1	S/. 5,338.98	S/. 5,338.98
2					
3					
4					
5					
6					
Opciones de Pago:				SUBTOTAL	S/. 5,338.98
				IGV	S/. 961.02
				TOTAL A PAGAR	S/. 6,300.00

Codiciones y validez de la oferta:

30 dias

Validez:

Condiciones de entrega:

Entrega Inmediata

Condiciones de Garantía:

garantia de 1 año

Esperamos haber dado alcance a sus requerimientos

Cordialmente,

RICARDO TALAVERA

RPM: #999033365 RPC:959354677

DIRECCIONES

- Direccion: -Lima: Av Nicolas Arriola 265 Of. 201 (referencia: a 1 cuadra de Cruz del Sur de Javier Prado)

- Calle Rivero 107 of 302. Cercado - Arequipa

También estamos en:

Trujillo Puno Cajamarca - Piura -Tumbes - Ica - Chiclayo - Ayacucho- Tacna - Cusco

CUENTAS BANCARIAS :

INTEGRASAT SOLUCIONES CENTER SRL , RUC : 20455256357

Cuenta Corriente BCP Soles

215-2050250-0-12

Código interbancario: CCI: 00221500205025001225

Cuenta Corriente BCP DOLARES

215-2295979-1-31

Código interbancario: CCI 00221500229597913124

ESPECIFICACIONES TECNICAS

EPSON
EXCEED YOUR VISION

SPECIFICATION SHEET

PowerLite® 965H XGA 3LCD Projector



Projectors

Networked Classroom

The premium, ultra bright classroom projector with flexible installation.

3x Brighter Colors¹, and reliable performance — 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness. The PowerLite 965H has:

Color Brightness — 3500 lumens²

White Brightness — 3500 lumens²

Amazing image quality — native XGA (1024 x 768) resolution and 4:3 format

Easy, flexible installation — 1.6x optical zoom provides a wide range of zoom flexibility and incredible, sharp images

Long-lasting, low-cost lamps — up to 10,000 hours in ECO Mode³

Advanced network control — RJ-45 and optional wireless connectivity⁴ for remote projector management, presentations over the network and more

Convenient collaboration for BYOD classrooms — wirelessly share⁵ and compare students' work from multiple devices, simultaneously, with Moderator device management software⁵

Wireless projection from an array of devices — project from iPhone®, iPad®, Android™ tablets and smartphones with the free Epson iProjection™ App⁶ (wireless module sold separately)

2x HDMI® digital connectivity — supports multiple high-definition A/V devices; includes one MHL-enabled port



ESPECIFICACIONES TECNICAS

DELTOC

EPSON
EXCEED YOUR VISION

PowerLite® 965H XGA 3LCD Projector

Projectors
Networked Classroom

Specifications

Projection System 3LCD, 3-chip technology

Projection Method Front/rear/ceiling mount

Driving Method Poly-silicon TFT Active Matrix

Pixel Number

786,432 dots (1024 x 768) x 3

Color Brightness² Color Light Output

3000 lumens

White Brightness² White Light Output

3000 lumens

Aspect Ratio

4.3

Native Resolution

1024 x 768 (XGA)

Resize

640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 800 (WXGA),
1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768
(800GA00-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+),
1680 x 900 (WXGA++), 1600 x 1200 (UXGA00)

Lamp Type 200 W UHE

Lamp Life²

Up to 10,000 hours (ECO Mode)

Up to 9000 hours (Normal Mode)

Throw Ratio Range

1.38 (Zoom/Wide), 2.24 (Zoom/Tele)

Size (projected distance)

30" - 300" (0.83 - 8.5 m) (Zoom/Wide)

30" - 300" (1.36 - 13.86 m) (Zoom/Tele)

Keystone Correction

Vertical: ± 30 degrees (Automatic)

Horizontal: ± 30 degrees (Slider)

USB Plug 'n Play

Projector is compatible with PC and Mac® computers

Contrast Ratio Up to 10,000:1

Color Reproduction Up to 1 billion colors

Projection Lens

Type Manual Focus

F-number 1.51 - 1.95

Focal Length 18.2 - 29.2 mm

Zoom Ratio (optical zoom) 1.0 - 1.0

Interfaces

USB-A x 1

USB-B x 1

LAN x 1

HDMI x 1

HDMI/MHL[®] x 1

Computer/Component x 2

Video x 1

S-video x 1

RS-232c x 1

Mic: Stereo Mini-jack

Monitor Out x 1

Audio In x 2

Audio L & R

Audio Out x 1

Wireless LAN port: 802.11 b/g/n (optional - module sold separately)



Other

Display Performance

NTSC: 480 lines, PAL: 576 lines (Depends on observation of the multi-burst pattern)

Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM

Speaker 10 W (mono)

Operating Temperature 41° to 90° F (5° to 30° C)

Power Supply Voltage 100 - 240 V AC ±10%, 50/60 Hz

Power Consumption

299 W (Normal Mode)

221 W (ECO Mode)

2.3 W Standby (Communication On)

0.21 W Standby (Communication Off)

Fan Noise

37 dB (Normal Mode)

29 dB (ECO Mode)

Security Kensington®-style lock provision, padlock and security anchor bar

Dimensions (W x D x H)

Including feet 11.0" x 10.0" x 3.5"

Excluding feet 11.0" x 10.0" x 3.4"

Weight 6.4 lb (2.9 kg)

Remote Control

Features

Brightness, Contrast, Tint, Saturation, Sharpness, Input signal, Sync, Tracking, Position, Color temperature, Volume

Operating Angle

Right/left: ± 30 degrees

Upper/lower: ± 15 degrees

Operating Distance 19.7 ft (6 m)

Eco Features

RoHS compliant

Recyclable product²

Epson America, Inc. is a SmartWay™ Transport Partner²

Support

The Epson Connection™

Pre-sales support

(U.S. and Canada): 800-463-7760

Internet website: www.epson.com

Service Programs

Two-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day lamp limited warranty

What's in the Box

PowerLite 965H projector, power cord, computer cable (VGA), projector remote control, batteries, user manual CD, Epson projector software CD, Quick Setup Sheet, warranty card, password protect sticker

Ordering Information

PowerLite 965H projector	V11H682020
Genuine Epson lamp (ELPLP88)	V13H010L88
Replacement air filter (ELPAF32)	V13H134A32
Soft carrying case (ELPKS67)	V12H001K67
Wireless LAN module (ELPAP07)	V12H418P12
Quick Connect USB key (ELPAP09)	V12H009M09