

INTEGRASAT SOLUCIONES CENTER S.R.L -

RUC: 20455256357

COT.
A-01253

Atendiendo su amable solicitud estamos enviando cotización de los productos requeridos, para nosotros es un placer poner nuestra compañía a su servicio.

TELE		FECHA	CIUDAD
FONO RPC / RPM			
-	959354677 - #999033365	17-Jun-2017	-
			T. PAGO
			-

ITEM	DESCRIPCION	CANTIDAD	UNID	PRECIO.UNIT	TOTAL
1	Fotocopiadora Konica Minolta DI 2510	1	UNID	S/. 2,080	S/. 2,080
	<p>Especificaciones Tecnicas: Kit Toner Velocidad de copia A4 Hasta 25 copias / min. Resolución de copia Max. 600 x 600 dpi Primera copia Menos de 5,3 seg. (Transversalmente A4) Velocidad de impresión A4 Hasta 25 impresiones / min. Dimensiones sistema (Anc x Fnd x Alt, mm) 677 x 710 x 718 Peso Aprox. 74 kg</p>				
	<p>SERVICIO.</p> <ul style="list-style-type: none"> •Servicio de Transporte Privado •Servicio de Capacitación •Servicio de Configuración •Servicio de Embalaje •CD (Driver y Manual en Español) •Software Integrado de administración por red – Gratuito •Transformador de 2000w / 110v 				
	<p>CONTAMOS.</p> <ul style="list-style-type: none"> •Contamos con Servicio Técnico Insuperable •Stock de Repuestos Permanentes •Contamos con un Stock Permanente – 300 Copiadoras •Distribuidor Autorizado - IMAGE •El Precio no incluye Transporte a Provincia 				
				TOTAL	S/. 2,080
				VALOR TOTAL	S/. 2,080



ATENTAMENTE
Percy Guerrero
RPM # 999033365 RPC: 959354677

CONDICION DE COMPRA

- Los Precios están expresados en Moneda Soles
- Validez de la Propuesta: 30 días o hasta agotar stock"

GARANTIA DEL PRODUCTO

- GARANTIA DE 18 AÑOS

FORMA DE PAGO**PLAZO DE ENTREGA**

- Entrega Inmediata o dentro de 24 a 48 horas

FORMAS DE PAGO

- EN CASO DE ENTIDADES PUBLICAS EL PAGO ES DESPUES DE LA ADQUISICION EN LOS ALMACENES DE LA INSTITUCION

-EN CASO DE EMPRESA PRIVADA

Opcion1: (Envio courier gratis): previo depósito de la totalidad a las cuentas del banco (envio gratis) a la cuenta corriente bcp soles

Opcion2: (Entrega en nuestras oficinas):

Solicitar la direccion mas cercana a su residencia al rpm #999033365 rpc: 959354677, estamos ubicados en - (Distritos de surco, javier prado y wilson) , arequipa, trujillo, otros departamentos

Opcion3: Para Entidades del Estado : Pago despues de la Entrega"

DIRECCIONES

-
Dirección Principal : Av Manuel Olguin 335 - Santiago de Surco

-
Direcciones en Arequipa -Trujillo -Chiclayo -Tacna -Cusco -Moquegua -Cajamrca -Ica -Piura -Tumbes -Loreto

AREQUIPA

Calle Rivero 107 oficina 302g

CUENTAS DEL BANCO

Cuenta Corriente BCP Soles: INTEGRASAT SOLUCIONES CENTER S.R.L
215-2050250-0-12

Cuenta Corriente BCP DOLARES : INTEGRASAT SOLUCIONES CENTER S.R.L
215-2131402-1-39

-
_"

TELEFONOS Y RAZON SOCIAL

TELF. -: - TELF. PROVINCIAS : 054-696980

RPM #999033365 RPC: 959354677

RAZON SOCIAL

Razón Social: INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357



Medium volume. Maximum performance. Uncompromising print/copy quality and convenience. With options for fast scanning, flexible finishing, powerful networking. So documents can be input, stored, shared, output on demand. Do it all with Minolta **Di2510.**



- High-speed, high-output productivity: up to 25ppm
- Modular finishing options: sort, group, staple, hole-punch, saddle-stitch, center crease
- Easy upgrades to support high-speed printing, scanning, expanded memory
- Powerful new print engine for higher reliability
- New Reversing Auto Document Feeder with standard duplexing, 100% duplex productivity
- New tilting control panel with on-screen QWERTY keyboard
- 4,000-sheet maximum paper capacity, durable paper drawers, 150-sheet intelligent bypass (standard)
- Point-and-click desktop printing with Minolta's internal Print Controller options
- Optional scanning to convert paper documents to digital files – scan to FTP, URL, E-mail, HDD, IP Scanner
- Powerful PageScope software to control documents and devices anywhere on your network
 PageScope Light
 PageScope Network Setup
 PageScope NetCare
 PageScope NIPS Plug-Ins
 PageScope EMS Gateway
 PageScope ABU
 PageScope Cabinet Pro
 PageScope Router (optional)
- Recollect software for fast scanning, auto OCR, electronic filing, one-touch retrieval (optional)
- Electronic Forms Management for replacing greenbar forms (optional)

DiALTA Di2510 Digital Printer/Copier/Scanner



MINOLTA



DIALTA D i2510 Specifications

TYPE:
Digital Printer/Copier/Scanner

MAGING SYSTEM:
Electrostatic Dry Powdered Image Transfer to Plain Paper

DEVELOPMENT SYSTEM:
Minolta Micro-Toning High-Grade (MT-HG)

SCANNING SYSTEM:
CCD Line Sensor

PRINT COPY SPEED:
15 ppm (letter) 8-1/2" x 11" portrait
10 ppm (letter) 8-1/2" x 11" landscape
17 ppm (legal) 8-1/2" x 14"
14 ppm (ledger) 11" x 17"

PRINT COPY RESOLUTION:
True 600 x 600 dpi

HALFTONE REPRODUCTION:
156 gradations

MEMORY:
32 MB 170 pages (standard)
40 GB 1,000 pages (maximum)

WARM-UP TIME:
17 seconds

FIRST COPY:
5.3 seconds or less

COPY QUANTITY:
1 - 99 copies (countdown, interrupt capability)

MAGNIFICATION:
Zoom range: 25 - 400%, .1% increments
Preset reduction: 50%, 65%, 73%, 79%, 93%
Preset enlargement: 121%, 129%, 153%, 200%

EXPOSURE MODES:
Auto
Text
Photo
Text/Photo
Manual

ORIGINAL SIZE:
Up to 11" x 17" maximum

PAPER SIZE:
5-1/2" x 8-1/2" to 11" x 17"

PAPER WEIGHT:
15 lb. to 24 lb. bond; 15 lb. to 24 lb. recycled paper

PAPER WEIGHT VIA MANUAL BYPASS:
24-1/4 lb. to 55-3/4 lb. specialty paper
(thick paper, HP transparencies, postcards, ten # 10 envelopes, label sheets)

STANDARD PAPER SUPPLY:
550-sheet universal paper drawers (2)
150-sheet intelligent bypass

OPTIONAL PAPER SUPPLY:
550-sheet universal paper drawer plus storage drawer
550-sheet universal paper drawers
(2 drawers, 1,100-sheet capacity)
2,750-sheet tandem drawer (letter)

MAXIMUM PAPER CAPACITY:
4,000 sheets (total, with options)

STANDARD DUPLEXING:
AD-16 Duplexing
SB-1 Switchback Unit

DOCUMENT FEEDER:
AFR-19 Reversing Auto Document Feeder
Capacity: 80 sheets
Speed: up to 35ppm
Original size: up to 11" x 17"
1-sided, 2-sided originals
Mixed original detection

POWER REQUIREMENTS:
120V, 11.5A

POWER CONSUMPTION:
1340 w (max)

DIMENSIONS (W x D x H):
26-3/4" x 26" x 28-1/4"

WEIGHT:
163 lbs.

PageScope Applications

NETWORK AND DEVICE MANAGEMENT:
PageScope Light
PageScope Net Care
PageScope Network Setup
PageScope EMS Plugins
PageScope NDPS Gateway
PageScope ABU

DOCUMENT WORKFLOW MANAGEMENT:
PageScope Cabinet Pro
PageScope Router

D i2510 Options

0-6 Original Cover
AFR-19 Reversing Auto Document Feeder
PF-122 Large Capacity Cabinet (2,750 sheets, letter/portrait)
PF-124 Universal Paper Feed Cabinet (550 sheets, letter to ledger size) plus storage drawer
PF-210 Universal Two-Way Paper Feed Cabinet (1,400 sheets, letter to ledger size)

CD-4M Copy Desk
B-303 Job Separator Tray
FM-117 Finisher
AM-1 Additional Bin Kit
MK-1 Mailbox Kit
PK-6 Punch Kit
SK-1 Saddle Kit

P3505e PCL Print Controller
P3505e PostScript 3 + PCL Print Controller
Parallel Interface Kit (IEEE 1284)
N6-4 Network Printer Kit
HD-D-6 Hard Disk Drive
SU-2, SU-3 Scanning Options
32MB, 64MB, 128MB Memory Upgrades

P3505e PCL Specifications

TYPE:
Internal

PROCESSOR:
233MHz

MEMORY:
32MB (standard)

INTERFACE NETWORK:
Parallel (IEEE 1284 compatibility)
RJ45 (Ethernet 10/100BaseT) + USB Port
Token Ring (3rd party)

NETWORK PROTOCOLS:
TCP/IP (Novell IPX/SPX, NetWare, NetBIOS) (Novell Directory Services), Peer-to-Peer (TCP/IP, IPX/SPX, LPR/LPD (TCP/IP), HTTP, NetWare, SMTP) PoP3

PRINT DRIVERS:
PCL6 driver for Windows 98/ME, NT4.0, Windows 2000, Windows XP
PCL5c mini driver for Windows 98/ME, NT4.0, Windows 2000, Windows XP

P3505e PostScript 3 + PCL Specifications

TYPE:
Internal

PROCESSOR:
233MHz

MEMORY:
128MB (standard)

INTERFACE NETWORK:
Parallel (IEEE 1284 compatibility)
RJ45 (Ethernet 10/100BaseT) + USB Port
Token Ring (3rd party)

NETWORK PROTOCOLS:
TCP/IP (Novell IPX/SPX, NetWare, NetBIOS) (Novell Directory Services), Peer-to-Peer (TCP/IP, IPX/SPX, LPR/LPD (TCP/IP), HTTP, NetWare, SMTP) PoP3

PRINT DRIVERS:
PostScript Level 3 Driver for Mac OS 9.2, 10.2+
PPD File, PDF Direct Print/Font Download Utility for Win/Mac
PCL6 driver for Windows 98/ME, NT4.0, Windows 2000, Windows XP
PCL5c mini driver for Windows 98/ME, NT4.0, Windows 2000, Windows XP

SU-2 Scan Option Specifications

SCANNING FUNCTIONS:
Scan-to-FTR HDD, E-Mail, URL, Network TWAIN

MEMORY:
128MB (standard)

SCANNING FORMATS:
TIF, PDF

RESOLUTION:
Up to 600 X 600 dpi

SU-3 Scan Option Specifications

SCANNING FUNCTIONS:
Scan-to-FTR HDD, E-Mail, URL, IP Scanning, Internet Faxing, Network TWAIN

MEMORY:
128MB (standard)

SCANNING FORMATS:
TIF, PDF

RESOLUTION:
Up to 600 X 600 dpi

Available Print/Copy Functions *

APS/AMS
Auto Duplex, Stacks
Auto Manual Photo Exposure
Auto Tray Switching
Black/White Reverse
Book Copy
Booklet Pagination
CopyTrack (up to 1,000 accounts)
Cover Mode
Cross Sort
Energy Save Mode
Erase (border frame, edge)
Face-Up or Face-Down Output
Hole-Punching (2-hole, 3-hole)
Image Repeat
Image Rotation
Image Stamping
Interrupt (pause)
Job Memory (10 jobs)
Job Reserve (queue) (10 jobs)
Memory Recall
Overlay Interleave
Page Insertion
Scanning (E-mail, FTR HDD, URL notification, IP Scanning, Internet Faxing)
Separate Scanning
Stamping Distribution (continuous distribution number)
Stapling (single or multi-position)
Stapling (2-in-1, 4-in-1)
Text, Photo/Text/Photo Modes
XY Zoom