

# INTEGRASAT SOLUCIONES CENTER S.R.L

## RUC: 20455256357

<b>COT.</b>
A-01253

Atendiendo su amable solicitud estamos enviando cotización de los productos requeridos, para nosotros es un placer poner nuestra compañía a su servicio.

TELEFONO	RPC / RPM	FECHA	CIUDAD
-	959354677 - #999033365	12-Nov-2015	-
			T. PAGO
			-

ITEM	COD	DESCRIPCION	CANTIDAD	UNID	PRECIO.UNIT	TOTAL	
1		PLOTTER HP 3500	1	UNID	S/. 41,800	S/. 41,800	
						<b>TOTAL</b>	<b>S/. 41,800</b>
						<b>VALOR TOTAL</b>	<b>S/. 41,800</b>

ATENTAMENTE  
Percy Guerrero  
RPM # 999033365 RPC: 959354677

**CONDICION DE COMPRA**

- Los Precios están expresados en Moneda Soles
- Validez de la Propuesta: 30 días o hasta agotar stock"

**GARANTIA DEL PRODUCTO**

- GARANTIA DE 1 AÑO

**FORMA DE PAGO****PLAZO DE ENTREGA**

- Entrega Inmediata o dentro de 24 a 48 horas

**FORMAS DE PAGO**

- EN CASO DE ENTIDADES PUBLICAS EL PAGO ES DESPUES DE LA ADQUISICION EN LOS ALMACENES DE LA INSTITUCION

**-EN CASO DE EMPRESA PRIVADA**

Opcion1: (Envio courier gratis): previo depósito de la totalidad a las cuentas del banco (envio gratis) a la cuenta corriente bcp soles

Opcion2: (Entrega en nuestras oficinas):

Solicitar la direccion mas cercana a su residencia al rpm #999033365 rpc: 959354677, estamos ubicados en - (Distritos de surco, javier prado y wilson) , arequipa, trujillo, otros departamentos

Opcion3: Para Entidades del Estado : Pago despues de la Entrega"

**DIRECCIONES**

-

Dirección Principal : Av Manuel Olguin 335 - Santiago de Surco

-

Direcciones en Arequipa -Trujillo -Chiclayo -Tacna -Cusco -Moquegua -Cajamrca -Ica -Piura -Tumbes -Loreto

**AREQUIPA**

Calle Rivero 107 oficina 302g

**CUENTAS DEL BANCO**

Cuenta Corriente BCP Soles: INTEGRASAT SOLUCIONES CENTER S.R.L

215-2050250-0-12

Cuenta Corriente BCP DOLARES : INTEGRASAT SOLUCIONES CENTER S.R.L

215-2131402-1-39

-

."

**TELEFONOS Y RAZON SOCIAL**

TELF. -: - TELF. PROVINCIAS : 054-696980

RPM #999033365 RPC: 959354677

**RAZON SOCIAL**

Razón Social: INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357

Data sheet

# HP Designjet T3500 Production eMFP



The most productive large-format color MFP<sup>1</sup>—prints up to size E/A0



## All your workflow needs in a high-productivity MFP

- Be the fastest—print D/A1-size pages in 21 seconds with dark blacks, neutral grays, and vivid colors<sup>1</sup>
- Print out your first page right away thanks to ultra-fast processing and zero warm-up time
- Copy and scan quickly with advanced features—presets, batch scanning, multipage PDFs, and scan to email
- Stay organized and avoid clutter—the integrated 100-page stacker delivers prints and copies neatly collated

## A production printer for unattended, low-cost use

- Print your black-and-white drawings at the same cost per page as comparable black-and-white LED MFPs<sup>2</sup>
- Operate unattended thanks to two heavy rolls of up to 650 ft (200 m) and a total ink capacity of 1,800 ml
- Built for high-volume printing—rely on a robust design to fulfill the most demanding jobs
- Manage projects and control costs effectively, using embedded professional accounting features

## Built for rigorous IT demands and top security

- Minimize device-management tasks and costs, using the HP Designjet Universal Print Driver
- Manage your fleet with ease, while saving time and helping to reduce costs, thanks to HP Web Jetadmin
- Protect and manage confidential jobs securely—retrieve documents at the printer with a personal PIN
- Safeguard confidential information, using a self-encrypting HDD with AES-256, Secure Disk Erase, and IPsec

## Eco Highlights

- Half the energy consumption per plot than equivalent black-and-white LED MFPs<sup>3</sup>
- ENERGY STAR<sup>®</sup> qualified and EPEAT Bronze registered<sup>4</sup>
- Free, convenient HP ink cartridge and printhead recycling<sup>5</sup>
- FSC<sup>®</sup>-certified papers and a range of recyclable HP media with a take-back program<sup>6</sup>



<sup>1</sup> Compared with large-format color inkjet LED MFPs with print speeds of up to 7 inch 2 pages per minute.  
<sup>2</sup> EPEAT registered where applicable and/or supported. See [www.hp.com/go/epeat](http://www.hp.com/go/epeat) for registration status by country.  
<sup>3</sup> Program availability varies. Please check [www.hp.com/go/efsc](http://www.hp.com/go/efsc) for details. BPD trademark license code FSC-C119376, see [www.hp.com/go/efsc](http://www.hp.com/go/efsc).  
<sup>4</sup> HP is a trademark license code FSC-C011142, see [www.fsc.org](http://www.fsc.org). Not all FSC-certified products are available in all regions. For information about HP large-format printing materials, please visit [global.hp.com/efsc](http://global.hp.com/efsc).

Please recycle large-format printing hardware and printing supplies.  
Find out how at our website  
[www.hp.com/efsc](http://www.hp.com/efsc)



1. With Aurasma installed, please go to the HP Designjet channel at <http://auras.ma/s/ko25m>
2. Without Aurasma installed, please download it:
  - a. Google Play - <http://auras.ma/s/android>
  - b. Apple Store - <http://auras.ma/s/ios>Once done, go to the HP Designjet channel at <http://auras.ma/s/ko25m>
3. Open the application and point to the image to view the HP Designjet video

## Technical specifications

<b>Print</b>	Line drawings <sup>1</sup>	21 sec/page on A1/D, 120 x110 prints per hour	
	Print resolution	Up to 2400 x 1200 optimized dpi	
	Margins (top x bottom x left x right)	Roll: 3 x 3 x 3 mm (0.12 x 0.12 x 0.12 x 0.12 in) (borderless on photo paper) Sheet: 3 x 22 x 3 x 3 mm (0.12 x 0.87 x 0.12 x 0.12 in)	
	Ink types	Cyan-based C, M, Y, K, photo black, yellow	
	Ink cartridges	6 Cyan, gray, magenta, extra black, photo black, yellow	
	Line accuracy	+/- 0.1%	
	Minimum line width	0.07 mm (0.0028 in) (HP-GL/2 addressable)	
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 15640:2001) (EOP)	
	<b>Media</b>	Handling	Input: two automatic front-loading roll feeds; smart roll switching; rolls up to 200 m (656 ft) long each and 180 mm (7.1 in) of diameter; sheet feed Output: integrated output stacker (from A4R to A0R, with up to 100 A1/D-size capacity); media bin; automatic cutter Scanner: straight-through scan paper path for sheet and cardboard originals
		Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1219 mm (8.3 x 11 to 36 x 48 in) Standard sheets: A0, A1, A2, A3, A4, A5, A6, B, C, D, E
Thickness		Up to 0.5 mm (0.0197 in)	
<b>Scan</b>		Scan speed	Color: up to 6.25 cm/sec (2.5 in/sec) Grayscale: up to 19.05 cm/sec (7.5 in/sec)
		Scanning resolution	Up to 600 dpi
		Maximum scan	Size: 914 x 8000 mm (36 x 315 in) (PDF) 914 x 5000 mm (36 x 197 in) (PDF) 610 x 75,000 mm (24 x 590.5 in) (TIFF)
Thickness	Up to 0.8 mm (0.031 in)		
<b>Copy</b>	Reduction/enlargement	25 to 400%; at 1% increments	
	Maximum copies	Up to 99 copies	
Copy settings	Copy quality, copy color, roll, paper output, content type, original paper type, background removal, contrast, de-skew, blueprints support, copy margin layout, full width, job queue storage mode		
<b>Applications</b>	Line drawings, Renderings, Presentations, Maps, Orthophotos		
<b>Memory</b>	Intel Core i5-4500 processor; 128 GB (virtual) 4,500 GB hard disk (AES-256 encrypted, FPS 140-2 Level 2 certified)		
<b>Connectivity</b>	Interfaces (standard)	High-Speed USB 2.0 certified host connector Gigabit Ethernet (1000Base-T), supporting the following standards: TCP/IP, IEEE 802.3ac (IPv4 only), DHCPv6, TFTP (IPv4 only), SNMP (v1, v2c, v3), Apple Bonjour Compatible, FTP, WS-Discovery, Embedded Web Server (HTTP, HTTPS), iPrint, SMTP (e-mail), Raw IP printing (9100, 9101, 9102), LFD, IPX, WS print, NTLM, NTLM v2, SSL/TLS, 802.1X authentication (RADIUS), WPA, WPA2, LEAP, RADIUS, SAS-1150	
	Print languages (standard)	HP-GL/2, HP-RTL, PCL, PCL6, CALS G4, HP PCL 3 G4	
	Print languages (optional)	Adobe PostScript 3; Adobe PDF 1.7	
	Printing paths	HP DesignJet SmartStream (optional), Printer driver, HP Embedded Web Server, direct printing from USB flash drive, email printing	
	Drivers included	HP-GL/2, HP-RTL drivers for Windows; HP PCL 3 G4 driver for Mac OS X; PostScript Windows and Mac drivers with optional PostScript/PDF Upgrade Kit. Compatible with HP DesignJet Universal Print Driver for HP-GL/2 and HP DesignJet Universal Print Driver for PS (with PostScript/PDF Upgrade Kit)	
	<b>Dimensions (w x d x h)</b>	Printer	1400 x 794 x 1109 mm (55.1 x 31.3 x 43.7 in)
<b>Weight</b>	Printer	114 kg (251 lb)	
	Shipping	141 kg (310.8 lb)	
<b>What's in the box</b>	HP DesignJet T3500 eMFP, printhead, introductory ink cartridges, stacker, scanner calibration sheet, printer stand and media bin, spindles, 3-in. spindle adapter kit (x2), quick reference guide, setup poster, startup software, power cord		
<b>Environmental ranges</b>	Operating	5 to 40°C (41 to 104°F)	
	Storage temperature	-25 to 55°C (-13 to 131°F)	
<b>Acoustic</b>	Sound pressure	50 dBA (printing); 38 dBA (sleep) ± 1.5 dBA (sleep)	
	Sound power	6.8 dBA (printing); 5.6 dBA (sleep) ± 3.4 dBA (sleep)	
<b>Power</b>	Consumption	<120 watts (printing); <2 watts (<7 watts with embedded Digital Front End) (sleep); 0 watts (off)	
	Requirements	Input voltage (auto ranging): 100 to 240 VAC (-/-) 10W, 50/60 Hz (-/-) 2 Hz, 2 A	
<b>Certification</b>	Safety	USA and Canada (CSA certified); EU (CE) and EN 60950-1 compliant; Russia (GOST); Singapore (PSB); China (CCC); Argentina (BRAB); Mexico (NOM); Korea (KCC)	
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSB), China (CCC), Japan (VCCI); Certified Class A products: Korea (KSRP)	
	Environmental	ENERGY STAR, WEEE, RoHS (EU), China, Korea, India, REACH, SPEAK Source	
<b>Warranty</b>	B9C24A	90-day limited hardware warranty (US and Canada)	
	B9C24B	Three-year limited hardware warranty (US and Canada); One-year limited hardware warranty (Latin America)	

## Ordering information

<b>Product</b>	B9C24A	HP DesignJet T3500 36-in Production eMFP <sup>2</sup>	
	B9C24B	HP DesignJet T3500 36-in Production eMFP <sup>2</sup>	
	<b>Accessories</b>	C0C5GA	HP DesignJet PostScript/PDF Upgrade Kit
		G8B09A	HP DesignJet T3500 36-in Spindle
		C2P02A	HP SmartStream Freight Manager for HP DesignJet
E2W10A	HP SmartStream Print Controller for HP DesignJet T3500 Production eMFP		
<b>Original HP printheads</b>	B3P05A	HP T37 DesignJet Printhead	
<b>Original HP ink cartridges</b>	C1Q12A	HP 764 300-ml Cyan DesignJet Ink Cartridge	
	C1Q14A	HP 764 300-ml Magenta DesignJet Ink Cartridge	
	C1Q15A	HP 764 300-ml Yellow DesignJet Ink Cartridge	
	C1Q16A	HP 764 300-ml Matte Black DesignJet Ink Cartridge	
	C1Q17A	HP 764 300-ml Photo Black DesignJet Ink Cartridge	
C1Q18A	HP 764 300-ml Gray DesignJet Ink Cartridge		
<b>Original HP large format printing materials</b>	C0R10A	HP Bright White Inkjet Paper (FSC® certified) <sup>3</sup> 914 mm x 914 m (36 in x 360 ft)	
	C0R80A	HP Coated Paper (FSC® certified) <sup>3</sup> 914 mm x 914 m (36 in x 360 ft)	
	C0Q10C	HP Heavyweight Coated Paper (FSC® certified) <sup>3</sup> 914 mm x 36.5 m (36 in x 100 ft)	
	Q1421B	HP Universal Satin Photo Paper 914 mm x 36.5 m (36 in x 100 ft)	

## Service and support<sup>4</sup>

W4518E	HP Installation Service with Network Setup
U1249E	HP 3-year Next Business Day Onsite Support with DMG <sup>5</sup>
U1248E	HP 5-year Next Business Day Onsite Support with DMG <sup>5</sup>
U1211E	HP 1-year Post Warranty Next Business Day Onsite Support with DMG <sup>5</sup>
U1242E	HP 2-year Post Warranty Next Business Day Onsite Support with DMG <sup>5</sup>
U1246E	HP Preventive Maintenance Service

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as variety of value-added services. For more information, please visit [hp.com/go/designjet/support](http://hp.com/go/designjet/support).

Use Original HP inks and printheads to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks and true neutral grays.<sup>6</sup> For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

For the entire HP Large Format Printing Materials portfolio, please see [globalBMG.com/hp](http://globalBMG.com/hp).

- Compared with large-format color MFPs under \$25,000 USD. Based on the fastest-rated color speeds as published by manufacturers as of January 2014. Test methods vary.
- Compared with large-format Low Volume LED MFPs with print speeds of up to 7 A4 pages per minute.
- Mechanical printing time. Printed in Fast mode, using HP Bright White Inkjet Paper (36in) and Original HP inks.
- +/- 0.1% of the specified vector length or +/- 0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks.
- Measured on HP Matte Film.
- Based on 2.5 GB RAM.
- 90-day limited hardware warranty (US and Canada).
- Three-year limited hardware warranty (US and Canada); One-year limited hardware warranty (Latin America).
- BMG trademark license code FSC®-C115319, see [fsc.org](http://fsc.org). HP trademark license code FSC®-C017543, see [fsc.org](http://fsc.org). BMG trademark license code PEFC®/C25-31-261, see [pefc.org](http://pefc.org). HP trademark license code PEFC®/C25-31-198, see [pefc.org](http://pefc.org). Not all FSC® or PEFC®-certified products are available in all regions.
- Can be recycled through commonly available recycling programs.
- HP Service portfolio available only for B9C24B HP DesignJet T3500 36-in Production eMFP. HP Service portfolio not available in Latin America.
- This HP Service not available in US and Canada.
- Defective Media Retention keeps your sensitive data safe. To comply with security regulations you can keep the defective hard-drive or data-retention memory component while getting a new replacement disk or memory.
- True neutral grays produced by printers compatible with the HP Three-Black Ink set.



For more information, please visit  
[hp.com/go/DesignJetT3500](http://hp.com/go/DesignJetT3500)

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying each product and service. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Intel and the Intel Inside logo are trademarks of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

444C-0479ENL, June 2014

