

INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357

COT.
A-01253

Atendiendo su amable solicitud estamos enviando cotización de los productos requeridos, para nosotros es un placer poner nuestra compañía a su servicio.

TELEFONO	RPC / RPM	FECHA	CIUDAD
-	959354677 - #999033365	12-nov-2015	-
			T. PAGO
			-

ITEM	COD	DESCRIPCION	CANTIDAD	UNID	PRECIO.UNIT	TOTAL	
1		PLOTTER HP T920	1	UNID	S/. 19,800	S/. 19,800	
						TOTAL	S/. 19,800
						VALOR TOTAL	S/. 19,800

ATENTAMENTE
Percy Guerrero
RPM # 999033365 RPC: 959354677

CONDICION DE COMPRA

-Los Precios están expresados en Moneda Soles
- Validez de la Propuesta: 30 días o hasta agotar stock"

GARANTIA DEL PRODUCTO

-GARANTIA DE 1 AÑO

FORMA DE PAGO**PLAZO DE ENTREGA**

- Entrega Inmediata o dentro de 24 a 48 horas

FORMAS DE PAGO

-EN CASO DE ENTIDADES PUBLICAS EL PAGO ES DESPUES DE LA ADQUISICION EN LOS ALMACENES DE LA INSTITUCION

-EN CASO DE EMPRESA PRIVADA

Opcion1: (Envio courier gratis): previo depósito de la totalidad a las cuentas del banco (envio gratis) a la cuenta corriente bcp soles

Opcion2: (Entrega en nuestras oficinas):

Solicitar la direccion mas cercana a su residencia al rpm #999033365 rpc: 959354677, estamos ubicados en - (Distritos de surco, javier prado y wilson) , arequipa, trujillo, otros departamentos

Opcion3: Para Entidades del Estado : Pago despues de la Entrega"

DIRECCIONES

-

Dirección Principal : Av Manuel Olguin 335 - Santiago de Surco

-

Direcciones en Arequipa -Trujillo -Chiclayo -Tacna -Cusco -Moquegua -Cajamrca -Ica -Piura -Tumbes -Loreto

AREQUIPA

Calle Rivero 107 oficina 302g

CUENTAS DEL BANCO

Cuenta Corriente BCP Soles: INTEGRASAT SOLUCIONES CENTER S.R.L

215-2050250-0-12

Cuenta Corriente BCP DOLARES : INTEGRASAT SOLUCIONES CENTER S.R.L

215-2131402-1-39

-

-"

TELEFONOS Y RAZON SOCIAL

TELF. -: - TELF. PROVINCIAS : 054-696980

RPM #999033365 RPC: 959354677

RAZON SOCIAL

Razón Social: INTEGRASAT SOLUCIONES CENTER S.R.L

RUC: 20455256357

Data sheet



HP DesignJet T920 ePrinter series

Newly designed, web-connected ePrinter with breakthrough usability



Innovative user experience

- Eliminate the output clutter—get flat, collated prints thanks to the integrated output stacking tray.
- Gain full control—monitor media rolls, view printer status on the touchscreen, and track jobs during printing.
- Load paper rolls effortlessly—even when seated—with true front roll loading and automatic roll alignment.
- Print up to A0/E with a compact, 36-inch printer designed with a flat surface for quick checking of your printouts.

Fast and quality prints from the very first time

- Print fast—create professional A1/D-size prints in 21 seconds, and collate jobs with the output stacking tray.
- Complete your work efficiently by printing correctly—from the first time—thanks to true print previews.
- Get dark blacks, true neutral grays, and vivid colors with six Original HP inks and the HP printhead.
- Process complex files easily with up to 32 GB of virtual memory, HP-GL/2, and PDF support¹ for most OS.

Print from virtually anywhere²

- Use your Apple® or Android™ smartphone or tablet to print from virtually anywhere².
- Access and print projects from the cloud when you're out of the office, using HP DesignJet ePrint & Share².
- Automatically save copies of your projects to the cloud when you print using HP DesignJet ePrint & Share².
- Print without drivers using a USB stick or directly email projects to your HP DesignJet T920 ePrinter².

For more information, please visit
hp.com/go/DesignJetT920

¹ Included with PostScript printers only.
² Requires an HP DesignJet ePrint & Share account, Internet connection to the printer, and connected Internet-capable device. When using the HP DesignJet ePrint & Share mobile app, a compatible Apple® iOS or Android™ device and Internet connection are required. Data or connection charges may apply. Print times may vary. For more information, visit hp.com/go/printershare.



1. With Aurasma installed, please go to the HP DesignJet channel at <http://auras.ma/s/ke25m>
2. Without Aurasma installed, please download it:
 - a. Google Play - <http://auras.ma/s/android>
 - b. Apple Store - <http://auras.ma/s/ios>Once done, go to the HP DesignJet channel at <http://auras.ma/s/ke25m>
3. Open the application and point to the image to view the HP DesignJet video

Technical specifications

Print	Line drawings ¹	21 sec/page on A1/D, 120 A1/D prints per hour
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) Sheet: 5 x 22 x 5 x 5 mm (0.2 x 0.87 x 0.2 x 0.2 in)
	Technology	HP Thermal Inkjet
	Ink types	Dye-based (C, G, M, pk, Y); pigment-based (mk)
	Ink drop	6 pl (C, M, Y, G, pk); 9 pl (mk)
	Printheads	1 (C, G, M, mk, pk, Y)
	Line accuracy	+/- 0.1% ²
	Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 13660:2001(E) ³
Media	Handling	Input: automatic front-loading roll feed, sheet feed; Output: integrated output stacking tray (from A4R to A0/L, with up to 50 A1/D-size capacity), media bin, automatic cutter
	Weight	60 to 328 g/m ²
	Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1219 mm (8.3 x 11 to 36 x 48 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)
	Thickness	Up to 0.5 mm (0.0197 in)
Memory	Basic ePrinter:	32 GB (virtual), 320 GB hard disk
	PostScript ePrinter:	32 GB (virtual), 320 GB hard disk
Connectivity⁴	Interfaces (standard)	Gigabit Ethernet (1000Base-T)
	Print languages (standard)	Basic ePrinter: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URJ PostScript® ePrinter: Adobe PostScript 3, Adobe PDF 1.7 Extension Level 3, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URJ
	Printing paths	Printer driver, HP DesignJet ePrint & Share, HP Embedded Web Server, HP Instant Printing, direct printing from USB flash drive, email printing
	Drivers (included)	HP-GL/2, HP-RTL drivers for Windows®; HP PCL 3 GUI driver for Mac OS X; PostScript Windows, Linux, and Mac drivers ⁵
Dimensions (w x d x h)	Printer	1399 x 916 x 1110 mm (55.1 x 36.1 x 43.7 in)
	Shipping	1502 x 759 x 775 mm (59.1 x 29.9 x 30.5 in)
Weight	Printer	87 kg (191.8 lb)
	Shipping	132.5 kg (292.5 lb)
What's in the box	HP DesignJet T920 ePrinter, printhead, ink cartridges, stack tray, printer stand and media bin, spindle, quick reference guide, setup poster, startup software, power cord	
Environmental ranges	Operating temperature:	5 to 40°C (41 to 104°F)
	Storage temperature:	-25 to 55°C (-13 to 131°F)
	Operating humidity:	20 to 80% RH
Acoustic	Sound pressure:	47 dB(A) (printing); 39 dB(A) (ready); +16 dB(A) (sleep)
	Sound power:	6.5 B(A) (printing); 5.8 B(A) (ready); +1.9 B(A) (sleep)
Power consumption	+ 120 watts (printing), + 250 watts (maximum), + 4 watts (+ 7 watts with embedded Digital Front End) (sleep), 0.1 watts (auto-off), 0 watts (off hardswitch)	
	Input voltage (auto ranging)	100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 4.2 A max (peak current)
Certification	Safety	USA and Canada (CSA certified), EU (LVD and EMC95/10-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (BRAM), Mexico (NOM), Korea (KATS)
	Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACHA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH, EuP, RoHS, EPEAT Bronze
Warranty	One-year limited hardware warranty	

For more information, please visit
hp.com/go/DesignJetT920



© Copyright 2013–2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Adobe and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Windows is a U.S. registered trademark of Microsoft Corporation. PANTONE is the property of Pantone, Inc. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

4AA4-5693ENW, June 2015, Rev. B

Ordering information

Product	CR354A	HP DesignJet T920 36-in ePrinter
	CR355A	HP DesignJet T920 36-in PostScript ePrinter
Accessories	COC66A	HP DesignJet PostScript/PDF Upgrade Kit
	CNS38A	HP DesignJet 3-in Core Adapter
	L4R56A	HP DesignJet 36-in Spindle
	G5H50A	HP DesignJet HD Scanner
	G5H51A	HP DesignJet SD Pro Scanner
Original HP printhead	B3P06A	HP T27 DesignJet Printhead
Original HP ink cartridges	B3P17A	HP T27 40-ml Photo Black DesignJet Ink Cartridge
	B3P13A	HP T27 40-ml Cyan DesignJet Ink Cartridge
	B3P14A	HP T27 40-ml Magenta DesignJet Ink Cartridge
	B3P15A	HP T27 40-ml Yellow DesignJet Ink Cartridge
	B3P18A	HP T27 40-ml Gray DesignJet Ink Cartridge
	C1Q11A	HP T27 60-ml Matte Black DesignJet Ink Cartridge
	B3P23A	HP T27 130-ml Photo Black DesignJet Ink Cartridge
	B3P19A	HP T27 130-ml Cyan DesignJet Ink Cartridge
	B3P20A	HP T27 130-ml Magenta DesignJet Ink Cartridge
	B3P21A	HP T27 130-ml Yellow DesignJet Ink Cartridge
	B3P24A	HP T27 130-ml Gray DesignJet Ink Cartridge
	B3P22A	HP T27 130-ml Matte Black DesignJet Ink Cartridge ⁶
	C1Q12A	HP T27 300-ml Matte Black DesignJet Ink Cartridge
Original HP large format printing materials	C1B51A	HP Bright White Inkjet Paper (FSC® certified) ^{7,8,9} 914 mm x 45.7 m (36 in x 150 ft)
	C6020B	HP Coated Paper (PEFC™ certified) ^{10,11} 914 mm x 45.7 m (36 in x 150 ft)
	C6030C	HP Heavyweight Coated Paper (PEFC™ certified) ^{10,11} 914 mm x 30.5 m (36 in x 100 ft)
	Q1421A	HP Universal Satin Photo Paper ¹² 914 mm x 30.5 m (36 in x 100 ft)
Service and support	U7YB2E	HP 3 year Next Business Day Onsite Support ¹³
	U7YB5E	HP 3 year Next Business Day Onsite Support with Defective Media Retention ¹⁴
	U7YB7E	HP 5 year Next Business Day with Defective Media Retention Hardware Support ¹⁴
	U7Y94E	HP 3 year 4-hour response, 9x5 Onsite Support ¹⁴
	U7Y97E	HP 3 year 4-hour response, 13x5 Onsite Support ¹⁴
	U7Z00PE	HP 1 year Post Warranty, Next Business Day Onsite Support ¹⁴
	U7Z01PE	HP 1 year Post Warranty, Next Business Day Defective Media Retention Hardware Support ¹⁴
	U7Z05PE	HP 1 year Post Warranty, 4-hour response, 13x5 Onsite Support ¹⁴
	H4S18E	HP Network Installation Service
	HC132PE	HP 1 year Post Warranty Phone Assistance

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as variety of value added services. For more information, please visit hp.com/go/DesignJetSupport.

Use Original HP inks and printheads to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks and true neutral grays¹⁴. For more information, visit hp.com/go/OriginalHPInks.

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

¹ Mechanical printing time. Printed in Fast mode on, using HP Bright White Inkjet Paper (Bond) and Original HP inks.

² +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on ADE printing material in Best or Normal mode with HP Matte Film and Original HP inks.

³ Measured on HP Matte Film.

⁴ Based on 1.5 GB RAM.

⁵ Includes an embedded Jetdirect print server.

⁶ Included with PostScript printers only.

⁷ Available only in Europe, Middle East, and Africa.

⁸ FSC® trademark license code FSC-C017543, see fsc.org. PEFC™ trademark license code PEFC™/29-31-198, see pefc.org. Not all FSC®- or PEFC™-certified products are available in all regions.

⁹ Can be recycled through commonly available recycling programs.

¹⁰ Not available in North America and Latin America.

¹¹ Not available in Europe, Middle East, and Africa.

¹² Applicable to HP DesignJet T-series Printers, ePrinters, and eMFPs. True neutral grays produced by printers compatible with the HP Three-black ink set.

